

The **Conmed Linvatec 26" HD LCD** is a Surgical Monitor that offers 1080p High Definition resolution, which is the highest standard that can be achieved in surgery. The Monitor is available with or without fiber optic input, both Monitors are medical grade and provide multiple benefits for your facility.

Features

- HD 1080p with 1920 x 1080 resolution
- Sealed front panel with a protective coating for improved durability
- Lightweight and modern design with a universal VESA mount
- Widescreen 16:9 Aspect Ratio
- Picture-In-Picture (PIP) functionality
- Compatible with ConMed's SMART OR[™] Nurse's Assistant[®] OR Control and Integration Systems



SOMA TECH INTL • 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM



Specifications

| Dimensions | Height: 16.2 in (41.1 cm) Width: 22.9 in (58.0 cm) Depth: 3.9 in (10.0 cm) Weight: 18.2 lbs. (8.5 kg) |
|---------------|--|
| Power | Normal Power Consumption: 130W Standby Power Consumption: 13W Diplay Power Requirement: 24 VDC, 6.25A Max DC Power Supply Requirement: 100 to 240 VAC, 50/60Hz |
| Environmental | Operating Temperature: 0 to +40° C (+32 to +104° F) Operating Humidity: 20 to +60° C (-4 to 140° F) Storage Temerature: 30 to 75% non-condensing Storage Humidity: 10 to 85% non-condensing |
| Inputs | DVI: DVI-D, 24 Pin SDI, HD-SDI: BNC x 1 VGA: D-Sub, 15 Pin R/G/B/S, YPbPr: BNC x 5 S-video, Y/C: BNC x 2 Composite: BNC x 1 Fiber Optic: 4 pin |
| Outputs | DVI: DVI-D, 24 Pin SDI, HD-SDI: BNC x 1 |



SOMA TECH INTL • 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM

