

The **Conmed Linvatec 32" HD LCD** is a Surgical Monitor that offers 1080p High Definition resolution, which is the highest standard that can be achieved in surgery. The Monitor is available with or without fiber optic input, both Monitors are medical grade and provide multiple benefits for your facility.

Features

- HD 1080p with 1920 x 1080 resolution
- Sealed front panel with a protective coating for improved durability
- Lightweight and modern design with a universal VESA mount
- Widescreen 16:9 Aspect Ratio
- Picture-In-Picture (PIP) functionality
- Compatible with ConMed's SMART OR™ Nurse's Assistant® OR Control and Integration Systems



SOMA TECH INTL • 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM

CONMED 32" HD LCD SURGICAL MONITOR

Specifications

Dimensions Height: 20.0 in (50.8 cm)

Width: 30.7 in (78.0 cm)

Depth: 4.5 in (11.4 cm)

Weight: 28.2 lbs. (12.8 kg)

Power Normal Power Consumption: 150W

Standby Power Consumption: 20W

Diplay Power Requirement: 24 VDC, 7.5A Max

DC Power Supply Requirement: 100 to 240 VAC, 50/60Hz

Environmental Operating Temperature: 0 to +40° C (+32 to +104° F)

Operating Humidity: 20 to +60° C (-4 to 140° F)

Storage Temerature: 30 to 75% non-condensing

Storage Humidity: 10 to 85% non-condensing

Inputs DVI: DVI-D, 24 Pin

SDI, HD-SDI: BNC x 1 VGA: D-Sub, 15 Pin R/G/B/S, YPbPr: BNC x 5 S-video, Y/C: BNC x 2

Composite: BNC x 1 **Fiber Optic:** 4 pin

Outputs DVI: DVI-D, 24 Pin

SDI, HD-SDI: BNC x 1

