GE LOGIQ S7 Ultrasound

The **GE Logiq S7** is an ultrasound system that can help fit all your imaging needs. With the demands for Ultrasound images growing, and the challenges to get images of patients of a variety of ages and sizes, the Logiq S7 is the answer. The Ultrasound system can meet those demands with its wide range of clinical areas that it can work including; Radiology, Cardiology, Orthopedics, Vascular diagnostics, Interventional ultrasound, urology, and pediatrics. The Ge Logiq S7 offers a variety of imaging options from Volume obstetrics with3D/$d imaging to Elastography, Flow Quantification, contrasting imaging, volume imaging, and CrossxBeam. Along with the basic Tissue harmonic, B-Mode, and Doppler imaging modes. With its 19-inch LCD display monitor and a 7-inch touch screen for quick adjustments, makes the Logiq S7 an easy-to-use ultrasound system. Offering uninterrupted scanning, premium imaging with high-resolution imagery, quality penetration, and wide bandwidth from the XDClear transducer.

Features

- CrossXBeam
- 3D/4D Volume obstetric imaging
- 2D/3D/4D modes
- PW/Color/Power Doppler (CW Doppler as option)
- Anatomical M-Mode
- ECG module with CW upgrade
- SRI HD High Definition Speckle Reduction Imaging
- CrossXBeam
- 19″ LCD monitor

SOMA TECH INTL• 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA
PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM

Revised 3/3/2022

Specifications

Dimensions	**Height Standard:** 1750 mm (68.9 in) **Tall:** 1115 mm (43.9 in) **Width Keyboard:** 500 mm (19.7 in) **Caster:** 620 mm (24.4 in) **Depth Maximum:** 856 mm (33.7 in) **Caster:** 790 mm (31.1 in**)** **Weight (no Peripherals):** 90 kg/198 lbs
Design	4 active probe ports, 1 non-imaging Integrated HDD and DVD-R/W On-board storage for peripherals Integrated speakers Probe holders Gel holder/warmer Front and rear handles
Power	**Voltage:** 100-120 Vac or 220-240 Vac **Frequency:** 50/60 Hz Power consumption maximum of 900 VA with peripherals
Image Memory	84 MB of Cine Memory Selectable Cine Sequence for Cine Review Prospective Cine Mark Measurements/Calculations and Annotations on Cine Playback Scrolling timeline memory Dual Image Cine Display Quad Image Cine Display Cine Gauge and Cine Image Number Display Cine Review Loop Cine Review Speed

SOMA TECH INTL• 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA
PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM

Revised 3/3/2022