

The **Steris Reliance Sonic 150** is an ultrasonic cleaner that uses ultrasonic sounds that are transmitted at frequencies generally beyond the range of human hearing. As the sound waves from the transducer radiate through the solution in the tank, the cause alternating high and low pressures in the solution. During the low pressure stage, millions of microscopic bubbles form and grow. During the high pressure stage, the bubbles collapse and act like tiny scrub brushes that work in all directions.

Features

- 1-1.5 Gallon solution capacity.
- 42 kHz frequency.
- Removable perforated tray.
- 01 to 96°C temperature settings.
- LED display.



SOMA TECH INTL • 166 HIGHLAND PARK DRIVE • BLOOMFIELD, CT 06002 • USA PHONE: 1.800.GET.SOMA • WWW.SOMATECHNOLOGY.COM • EMAIL: SOMA@SOMATECHNOLOGY.COM

Steris Reliance Sonic 150 Ultrasonic Cleaner

Specifications

Tank Dimensions Height: 4" (10.2 cm)

Width: 5.5" (14 cm) Length: 9.5" (24.1 cm)

Solution Capacity: 1 to 1.5 gallons (5.71 liters)

Power Max Input Power: 130 watts

Heater/Max. Draw Power Requirement: 205/335

Amps: 117V - 2.9A; 220V - 1.6A

Frequency: 42

Control Function Indicators

Solution Temperature: Displays current tank temperature (10 to 75°C ±4°C)

Set Temperature °C: Set tank temperature (1 to 69°C) Set SONICS min: Set ultrasonic time (1 to 99 min) Set DEGAS min: Set degas time (1 to 99 min)

