



Tuttnauer EZ9-The Tuttnauer EZ9 Autoclave System features a 9" Chamber. The ease of a one touch design satisfies all of your sterilization and drying needs. With a simple touch a button, the fully automatic Tuttnauer EZ9 Autoclave sterilizes, fills, exhausts and dries. A closed door active drying system is featured to maintain sterility and ensure efficient drying of packs and pouches.

Features

- New contemporary design with an easier to read bright blue display panel.
- Pre-loaded cycles for: unwrapped instruments; wrapped/packs; liquid and additional drying cycle.
- All program parameters can be changed and stored.
- Automatic shut off at the end of both the sterilization and dry cycles.
- Audible and visual cycle interruption alert. Double safety locking device prevents door from opening while chamber is pressurized.
- Low water sensor prevents activation of sterilization cycle when there is insufficient water in the chamber or reservoir.
- Constant monitoring of temperature and pressure for sterilization.
- Power outage recovery system.
- Door design prevents steam from coming in contact with control panel.
- Optional printer.
- High Efficiency air pump.
- Decreased overall drying time.
- Closed door drying.



Specifications

Dimensions

Height: 14.4 in
Width: 20 in
Depth: 21.5 in
Weight: 95 lbs

Chamber Dimensions

8 in x 18 in

Volume

5 gal.

Standard Cassettes

2 full / 2 half

Tray Dimensions

Height: 0.8 in
Width: 6.7 in
Depth: 6.7 in

**Standard Unwrapped
Cycle Time**

6-cell, 11.2 VDC, 5.2 amp-hours, rechargeable lithium ion battery pack.
Run time is up to 2hours depending on imaging mode and display brightness.

Power

Voltage (V): 120V
Freq. (Hz): 50/60
Power (W): 1400 W
Current (A): 12 A