



Features:

- General Purpose/Bariatric Surgical Table
- Optional Infrared (IR) Remote Wireless Control
- 1,200 lb. lift & 1000 lb. articulate capacity
- 210° Top Rotation
- Auto Beach Chair Position
- 44" max./23" min. table height
- Power kidney bridge
- Removable back & leg sections



Typical
Manufacturer's
Image

Skytron 6700 Surgical Table

Specifications:

- Electro-hydraulic operating room table shall operate at 120v, 60Hz, 1 phase and be protected by 15 amp circuit breaker.
- A removable 15-foot power cord with hospital grade plug shall be provided.
- Conductive casters shall allow side movement for ease of operation and cleaning.
- Unit is to be equipped with standardized side rails and a fourpoint, push-button operated braking system for safety and stability.
- A pendant-type control unit shall be operable from any point around the entire perimeter of the table.
- The table is to lift a 1,200 lb. and articulate a 1,000 lb. patient.
- Entire table top shall be radiolucent to provide image intensification capability.
- Positioning capabilities to include: lateral tilt of 30°; Trendelenburg and reverse Trendelenburg of 30°; Kidney bridge elevation of 5-3/4"; back up of 90°; back down of 40°; height adjustment range of 23" to 44" (27" to 48" with X-Ray top and 2" pad); leg section down 100°, leg section up 20°; 210° top rotation.
- Unit is also provided with 40° flex and 90° reflex function control button.
- Removable leg section and back section.



Soma Technology Inc.
166 Highland Park Drive
Bloomfield, CT 06002 • USA
1.800.438.7662
www.SomaTechnology.com